

S.N. 10/040,585  
Wilfred Brake et al.  
Atty Dkt 10016219-1

**Amendments to the Claims**

- 1) (currently amended) A camera comprising:  
a camera body; and  
an alarm clock at least partially located within said camera body and  
operably associated with said camera body.
- 2) (original) The camera of claim 1 wherein said alarm clock further  
comprises at least one output device selected from a group of output devices  
consisting of:  
a speaker, a strobe, a display and a capture device.
- 3) (original) The camera of claim 1 wherein said alarm clock further  
comprises at least two output devices selected from a group of output devices  
consisting of:  
a speaker, a strobe, a display and a capture device.
- 4) (original) The camera of claim 1 wherein said alarm clock further  
comprises at least three output devices selected from a group of output  
devices consisting of:  
a speaker, a strobe, a display and a capture device.
- 5) (original) The camera of claim 1 wherein said alarm clock further  
comprises at least four output devices selected from a group of output  
devices consisting of:  
a speaker, a strobe, a display and a capture device.
- 6) (original) The camera of claim 2, said output device comprising said  
speaker.

S.N. 10/040,585  
Wilfred Brake et al.  
Atty. Dkt 10016219-1

7) (original) The camera of claim 2, said output device comprising said strobe.

8) (original) The camera of claim 2, said output device comprising said display.

9) (original) The camera of claim 2, said output device comprising said capture device.

10) (original) The camera of claim 1 and further comprising at least one element operatively associated with said alarm clock selected from a group of elements consisting of:

a memory storage device, a photosensor array, a computer connector, a real time clock, an always-on portion and a controller.

11) (original) The camera of claim 2 and further comprising at least one element operatively associated with said alarm clock selected from a group of elements consisting of:

a memory storage device, a photosensor array, a computer connector, a real time clock, an always-on portion and a controller.

12) (original) A method of providing notification of the occurrence of a time of day comprising:

inputting data representative of a selected time of day into a camera;  
and

upon occurrence of said selected time of day, actuating a camera subsystem.

13) (original) The method of claim 12 wherein: actuating a camera

S.N. 10/040,585  
Wilfred Brake et al.  
Atty Dkt 10016219-1

subsystem comprises activating at least one output device selected from a group of output devices consisting of: a speaker, a strobe, a display and a capture device.

14) (original) The method of claim 12 wherein:  
actuating a camera subsystem comprises activating at least two output devices selected from a group of output devices consisting of:  
a speaker, a strobe, a display and a capture device.

15) (original) The method of claim 12 and further comprising:  
storing data utilized by said camera subsystem for notifying a user of the occurrence of said selected time of day.

16) (original) The method of claim 12 wherein said inputting comprises operating a camera control surface useable for controlling other camera functions.

17) (original) A method of constructing a camera comprising:  
mounting an image assembly in a camera housing; and  
mounting an alarm clock in said camera housing.

18) (currently amended) A camera comprising:  
means for capturing an image of an object;  
means for selecting a time of day; and  
means, at least partially located within said camera, for actuating at least one camera subsystem at the occurrence of said selected time of day.